




.2518 Circulation equipment

- Piping and valves
- Vacuum
- Flow meter
- Pumps
- Inlets
- Drains
- Surface overflow systems
- Recessed surface skimmer




Piping and Valves

- Skimmers and main drain piping sized to handle 100% of the design flow rate
- Schedule 40 PVC or better
- Sized according to chart Make sure to use chart for the type of pipe, suction sizing is different from return














.2521 Ladders, Recessed Steps, and Stairs

- Pools deeper then two feet require stairs in shallow end
- Recessed steps or ladder required in deep end
- Pools greater than 30 feet wide, require 2 sets in deep end
- Every 75 feet along shallow area perimeter
- Stairs have strict dimensional requirements for safety
 - Must have a handrail
 - Contrasting color bands
 - Slip resistant

.2522 Decks

- Requirements change based on type and size of pool
- Five feet of clear walking space behind diving board, handrail, etc.
- Sloped to drain
- Slip resistant and impervious
- ADA accommodations take precedence over our rules
- No more than nine inches from deck to water surface

.2523 Depth Markings and Safety Ropes

- Required on deck and sidewall at maximum and minimum depth, transition points, at diving area when present and both ends of the pool
- No more than 25 feet between markers, measured along pool perimeter
- Numbers at least 4 inches high, including "feet" or "ft"
- No Diving in 4-inch letters or universal symbol in all areas less than 5 feet
- No more than 25 feet between markings
- Minimum ¾ inch rope at transition point 5 feet or less with colored floats no more than 5 feet apart over the contrasting color band
- Ropes must be within 2 feet of transition depth marker in shallow side of the pool

.2524 Lighting and Ventilation

- Artificial lighting must be provided if the pool operates at night (verified by sight visit)
- Fixtures cannot create hazards
- Sufficient to illuminate the floor of the pool at all times the pool is in use
- Calculate lighting shown on plans
- Do not apply foot candle requirement (Changed by SL 2017-209)
- Mechanical ventilation is required for indoor pools

.2526 Dressing and Sanitary Facilities

- Shall be provided EXCEPT hotels, motels, condos, apartments. IF THE FARTHEST UNIT IS MORE THAN 300 FEET FROM THE POOL MEASURED ALONG WALKWAYS, a toilet and lavatory shall be provided
- Designed to be cleaned with broom and hose
- Floor continuous and slip resistant
- Number of fixtures based on pool size
- Showers required
- Hot water heater inaccessible
- Non-glass soap dispenser
- If used, shatterproof mirrors

.2528 Fences

- New construction must meet all fencing and gate requirements
- If used, audible alarm must be 85 decibels (per building code)
- Request cut sheets for fencing dimensions
- Make sure fence location is shown on plans
- If there are other amenities in the fenced area such as grills, bar area, laundry room, state in letter that a year-round permit is required for access to those amenities

.2530 Safety Provisions

- Make sure plans have the correct description and number of units of lifesaving equipment listed or address in letter
- Check for correct sign wording
- Telephone location and description. Cannot use cell phone or cordless phone.
- May use Kings 3

.2533 Equipment Room

- Weatherproof structure
- Ceiling height 7 feet
- Lighting
- Accessibility to valves and other control devices
- Drainage
- Natural or mechanical ventilation
- Permanently accessible
- Hose bib with back flow prevention device

.2534 Chemical Storage Room

- Dry, weatherproof, 7-foot ceiling height
- Separate room, properly sized
- Natural or mechanical ventilation
- Dry storage for chemicals
- lighting

